UNCLASSIFIED

AD 264 452

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

SPRINGFIELD ARMORY

SPRINGFIELD, MASSACHUSETTS RESEARCH AND DEVELOPMENT

Report:

SA-TR20-9101

Date: 16 February 1961

Bibliography of Springfield Armory Reports (1 July 1959 - 31 December 1960)

Technical, Memorandum, Notes on Materiel

Approved

Chief, Res and Dev Div

61-4-6 **XEROX**



ORDBD Form 722 7 Apr 60

SA-TR20-9101 Report:

Date: 16 February 1961

Report Title: Bibliography of Springfield Armory Reports

(1 July 1959 - 31 December 1960)

Technical, Memorandum, and Notes on Materiel

Approved

H. F. HAWTHORNE Chief, Res and Dev Div

Prepared by Administrative Offices, Res and Dev Div

This bibliography has no distribution limitations. Madtial distribution has been made by the attached distribution list. Requests for additional copies will be made to ASTIA.

This bibliography does not contain any proprietary or petentable material, trade secrets, copyrighted and/or copyrightable material, trademarks, or trade names.

REPORT SA-TR20-9101

ABSTRACT

AD	Accession			
Springfield Armory, Springfield Armory, Springfield Armory, Spring	pringfield, Mass. GFIELD ARMORY REPORTS -	1.	Bibliography	
TECHNICAL, MEMORANDUM	, NOTES ON MATERIEL - Res 1 Report SA-TR20-9101,	2.	Springfield Armory Bibliography	-
	Unclassified report.	3.	Abstracts	
Nonlimited distribution	on.	4.	Springfield Armory Abstracts	-
Presented is a biblio	graphy of Springfield Armory	,		

FOREWORD

This bibliography contains a listing of Springfield

Armory reports - technical, memorandum, notes on material published from 1 July 1959 to 31 December 1960.

Springfield Armory has made initial distribution of the reports in this bibliography.

Reports published from 1 January 1948 to 30 June 1959 are listed in SA-TR20-9100 dated 30 September 1959.

NUMBER	TYPE	TITLE
1-7015	TR	Water Drainage Characteristics of Caliber .22/06 and 7.62mm Barrels - G.Pributsky, W.M.Kisner, 29 June 59 - Unclassified Report - Nonlimited distribution.
		ABSTRACT: An investigation was conducted to evaluate the drainage characteristics of the caliber .22/06 and the 7.62mm barrels, and to determine the effect of temperature, metal finish, and supplementary finish on these characteristics. The investigation was conducted in three phases: (1) amount of water remaining in barrels after addition and subsequent drainage of varying quantities of water with and without cartridge in chamber (2) amount of water entering barrels of different calibers when immersed in water at various angles (3) quantitative test for evaluating effort and time required to empty barrels which had cartridge in chamber. Tests were conducted at 35°F, room temperature, and 100°F. Barrels drained efficiently and rapidly when the cartridge was removed. Test procedure is described, and results discussed.
3-1704	NM	Notes on Development Type Materiel for M60 Machine Gun, 7.62mm, and M2 Tripod Mount (Modified) P.W.Marshall, 27 Aug 59
3-1903	NM	Notes on Development Type Materiel for the Chain Charger for the T197E2 7.62mm Tank Machine Gun - P.W.Marshall, 3 Nov 59
3-2002	ММ	Notes on Development Type Materiel for Gun, Machine, Tank, 7.62mm, M37El - P.W.Marshall, 12 Sept 58
5-4002	NM	Notes on Development Type Materiel for the machine Gun, Tank, Caliber .50, T175E2 (M85) - C.W.Baker, Jr., R.W.Hegarty, 26 Apr 60
7-1601	TR	Cannon, 37mm, Antiaircraft Gun, T250X1 (U) - G.H.Bornheim, H.D.Coombs, 2 Nov 59 - Confidential Report - Limited distribution.

NUMBER

TYPE

TITLE

ABSTRACT: The design and development of the 37mm Vigilante T250Xl are summarized. This weapon was designed primarily for antiaircraft applications. A detailed description of the characteristic features of this weapon is given. Test procedures are described and results are discussed.

7-1710 TR

Muzzle Glamp Carbon Build-up Test, 20mm, M61 Automatic Gun - E.A. Humphrey, 10 Feb 60 - Unclassified report. - Limited distribution due to coding.

ABSTRACT: An investigation was made of the mathods by which the muzzle clamp assembly for the 20mm Automatic Gun M61 could be removed from the gun after firing while the gun was in an already installation. Investigations were also made of possible modifications of the clamp and clamp components to simplify removal. Development of a satisfactory puller tool made modification of clamp unnecessary. In order to facilitate the removal of carbon for the seating of a socket wrench, a chromium plated cap nut with helical coil mid-grip insert was recommended to be substituted for the nut presently used on the standard muzzle clamp assembly. Procedure is described and test results discussed.

11-2621 TR

Comparative Evaluation of Chromium Plated M14
Rifle Barrels Fabricated from Chrome-Moly-Vanadium Steel and ORD 4150 Resulphurized Steel, MILS-11595 (ORD) - T.P. Jones, S.D. Caloccia, E.F. Koetsch,
J.R. Eves, 3 Aug 59 - Unclassified report - Nonlimited distribution.

ABAT ACT: Endurance tests were made to evaluate the performance characteristics of the 7.62mm M14 rifle barrels fabricated from chrome-moly-van-adium steel and ORD 4150 resulphurized steel, MIL-S-11595 (ORD). Results of erosion tests, and standard and accelerated firing tests for both materials were satisfactory. Headspace did not increase more than 0.001 inch. Breech bore diameter did not exceed the prescribed limit of 0.310 inch. Accuracy was satisfactory during and at the

- ,' -

NUMBER	TYPE	TITLE
		conclusion of the tests. Velocities were satis- factory and variation was within normal range for all tests. Bore damage for both materials was nearly equal. In view of known potential savings, use of ORD 4150 resulphurized steel is recommended
11-2707	NM	Notes on Development Type Materiel for Pistol, Spotting, 10mm, XM14 - I.H.Atwood, Jr., 1 Sept 59
11-2708	NM	Notes on Development Type Materiel for the Rifle, Spotting, 20mm, XM-69 - I.H.Atwood, Jr., 6 Nov 59
11-2711	NM	Notes on Development Type Materiel for Rifle, Spotting, 20mm (Demonstrator) - I.H.Atwood, Jr., 11 May 59
11-3108	TR	Feasibility Study of a Caliber .222, Salvo Type Shoulder Rifle (U) - D.C.Fletcher, 10 May 59 - Confidential report - Limited distribution.
		ABSTRACT: This report discusses the results of a feasibility study of a proposed design for a three-barrel, rotary-fed, caliber .222 salvo type shoulder rifle. The proposed salvo rifle design is for a percussion-fired, gas-operated, three-barrel, semiautomatic weapon weighing approximately 9-1/2 pounds.
15-1103	TR	Stress Advantage of Negted Springs - H.P.Swies-kowski, 22 Aug 60 - Unclassified report - Non-limited distribution.
		ABSTRACT: A mathematical study of the characteristics of nested springs was made. The advantage of the use of nested springs in comparison with a single spring is shown by a reduction in stress for equivalent conditions of loading. Detailed derivations are shown and the results discussed.
16-1057	TR	Determination of the Reactivity of the Active Chemical Constituents in Cutting Fluids with Var- ious Metals and Alloys - L. Krasnor, 30 Jul 59 - Unclassified report - Nonlimited distribution.

NUMBER TYPE

TITLE

ABSTRACT: An investigation was made to determine the chemical reaction of the active constituents in cutting fluids upon various metals and alloys. An analysis was made of the reaction of six different oils upon twelve different metals and alloys. A temperature of 400 F. was maintained for two hours. These oils were made with five separate classes of active chemical ingredients. Results show that there is a positive and substantial chemical effect. Test procedure is described, and results discussed.

16-1115 TR

Determination of Sulphate in Chromium Plating Solutions - C.M. Hanna, 10 Feb 60 - Unclassified report - Limited distribution, due to coding.

ABSTRACT: An investigation was made to determine the accuracy of an alternate, rapid, gravimetric method of sulphate analysis in chromium plating solutions by reduction of chromic acid by use of sodium nitrite in place of ethyl or isopropyl alcohol. The accuracy of the test results obtained with the alternate method compares favorably with the accuracy of the test results obtained with the standard method. A considerable amount of time is saved with the alternate method analysis. Suggested procedure for sulphate determination is given.

16-1116 TR

Ultrasonics in the Chromium Plating Process and in Copper Plating of Titanium - G.Pributsky, W.M.Kisner, 25 Jan 60 - Unclassified report -Nonlimited distribution.

ABSTRACT: An investigation was made to determine the effect of ultrasonic vibrations on the appearance, the adhesion, and the corrosion resistance of subsequent chromium plating. An investigation was also made to evaluate the effect of the use of ultrasonic vibrations during the electrodeposition of copper on titanium. Chromium plated drill rods were ultrasonically irradiated in dilute chromic acid in order to passivate the base metal in the pores and cracks of the chromium plate. No improvement in the corrosion

NUMBER	TYPE	TITLE
		resistance of the specimens was evident. In all instances the application of ultrasonics did not prove beneficial. Test procedures are described and results discussed.
18-1068	TR	Investigation of High Density Rigid Foams - K.A. Jorczak, 20 Nov 59 - Limited distribution, due to coding.
		ABSTRACT: An investigation was conducted to obtain data to ascertain whether urethane foam materials (20 lb/cu ft) can be increased to higher densities and to determine the practicality of using fiber glass as a filler. Results indicate that rigid urethane foams of a density greater than 20 lb/cu ft can be molded and that fiber glass filler does not influence significantly the physical properties of the foams. Test procedures are given, and results discussed.
18-1070	TR	A Determination of the Distribution of Chromium Plate in the Bores of Small Arms Barrels M.S. Spivak, 12 Feb 60 - Unclassified report - Non-limited distribution.
		ABSTRACT: An investigation was made to develop a method for the determination of the distribution of chromium plate in the bores of small arms barrels. Barrels of various calibers were chromium plated according to Springfield Armory procedures. These barrels were then sectioned and the chromium thickness was measured at the lands and grooves. Graphs were plotted of groove chromium thickness versus land chromium thickness for the various barrels. Ratios of land-to-groove chromium plating thicknesses have been established for calibers 0.30, 0.45, 0.50, 20mm, and 30mm barrel bores. These ratios apply to barrel bores which have been chromium plated under existing plating procedures used at Springfield Armory. Procedures are described and results discussed.
19-1004	TR	Utilization of Investment Castings for Small Arms Weapon Components - J.F.Panda, 26 June 59 - Un-

NUMBER TYPE

TITLE

classified report - Nonlimited distribution.

ABSTRACT: An investigation was conducted to determine the feasibility of using investment castings for components of various small arms weapons. Description of the procedure used in fabricating components by the investment casting method is discussed.

19-1207 TR

Columbium as a High Temperature Structural Material - E.H.Abbe, 3 Jun 59 - Unclassified report - Limited distribution, due to coding.

ABSTRACT: An investigation was made to determine the influence of exygen in the strengthening and hardening of columbium at both elevated and room temperatures, to establish the mechanism by which oxygen hardens and strengthens columbium, and to evaluate the high-temperature properties of exygen-impregnated columbium. The results of metallurgical examination, X-ray diffraction studies, and hardness tests of sintered and compacted columbium specimens which had been impregnated with various amounts of oxygen are discussed. Increments of added oxygen diffused inwardly through the sintered and compacted metal will strengthen it in essentially a linear manner. The metallographic and X-ray evidence shows that the solute atoms of oxygen are accepted into the columbium lattice in an interstitial solid solution. Hardness values for columbium specimens with varying additions of oxygen differed considerably at room temperature, but appeared to converge at more elevated temperatures. This indicates that if hardness tends to equilibrate at higher temperature levels, the initial hardness may be of limited importance.

19-1502 TR

Ultrasonic Studies of Die Block Materials - RKorytoski, 25 May 59 - Unclassified report - Nonlimited distribution.

ABSTRACT: Basic studies were conducted to obtain data to determine the feasibility of using ultra-

NUMBER TYPE

TITLE

sonic vibration principles in nondestructive evaluation of material and to develop reliable inspection methods and procedures. A series of studies were conducted on die block material. These studies included (1) ultrasonic reflection investigations, (2) destructive metallurgical examinations of materials ultrasonically tested, (3) evaluation of material performance in forging application.

19-1504 TR

Nondestructive Inspection of Brazed Clevis on 7.62mm M60 Machine Gun Operating Rod Guide Assembly - R.D.Korytoski and E.H.Abbe, 28 Dec 59 - Unclassified report - Nonlimited Distribution.

ABSTRACT: An investigation was made in order to develop a nondestructive test method for the evaluation of brazed joints on the M60 guide assembly operating rod. The ultrasonic resonance method provided a nondestructive test means to evaluate the soundness of brazed areas. Completely brazed areas produced several resonance indications with thickness approximately 0.130 inch. A poorly brazed joint shows a single resonance indication with thickness approximating 0.050 inch. Ultrasonic pulse echo method could not be practically applied. The ultrasonic resonance method proved most feasible and was used in the development of inspection procedures. Tests are described and results discussed.

20-2135 TR

Study of Mechanisms and Firing Fixtures in Conjunction with Frankford Arsenal Development of Fin-Stabilized Ammunition (U) - CFPackard, 16 Oct 58-Confidential report - Limited distribution.

ABSTRACT: A feasibility study was made of various weapon systems capable of firing fin-stabilized ammunition at high cyclic rates and high muzzle velocities. Detailed study was made of breech, trigger, and feeding mechanisms. A firing mechanism which provides semiautomatic, controlled burst, and full automatic modes of fire was designed, and a plastic model fabricated.

20-6003

TR

NUMBER TYPE

A layout was made of a proposed submachine gun type weapon. Cruciform type barrels were study and one Mann type cruciform test fixture was face.

type weapon. Cruciform type barrels were studied and one Mann type cruciform test fixture was fabricated. A locked breech, gas-actuated, reciprocating-bolt system appears feasible for firing the types considered.

20-2730 NM Notes on Development Type Materiel for the Launcher, Grenade, XM79 (U) - C.E.Lanizzani, 23 Oct 59

Development of the Permetron Gage for the Measurement of 20mm Barrel Bore Plating Thickness - H.P. Hatch, C.N.Julian, 3 Apr 60 - Unclassified report - Nonlimited distribution.

ABSTRACT: Design and development of a gage based upon permeability principles for measurement of the plating thickness in the 20mm gun barrel bores are discussed. This gage operates on the principle that the coupling between two windings linked by a magnetic circuit varies with the permeability of the magnetic circuit. The magnetic circuit consists of the core carrying the two windings, the barrel steel, and the interposed chromium. The maximum error in thickness measurement is 0.33 x 10 inch. The Permetron gage provides an accurate, continuous, nondestructive means of measuring the thickness of chromium along the lands of the 20mm barrels. Experimental procedure is described.

20-6005 TR Magnetic Method of Measuring Displacement and Velocity: Application as Function Generator - H.P. Hatch, 16 Aug 60 - Unclassified report - Nonlimited distribution.

ABSTRACT: A study was made to investigate geometry and core materials to increase the linear displacement range of Springfield Armory magnetic displacement transducer, to investigate a direct-current version responding directly to velocity of motion, and to explore the feasibility of using this device as a function generator. It appears feasible from experimental work that displacements greater than 5 inches can be measured. The output of the d.c.

NUMBER	TYPE	TITLE
		excited transducer is linear with respect to armature velocity. However, because of the large transverse response, the measurement of velocity appears impractical for all applications except those in which the armature is constrained to only one plane of motion. The displacement transducer can be used to generate any wave form that can be described by a rotated cam. Experimental procedure is given and results discussed.
20-9000	TR	Basic Studies Concerning Slide Energy of Open- system, Gas-operated Weapons - F.M.Chakour, 26 Feb 59 - Unclassified report - Nonlimited distri- bution report.
		ABSTRACT: A study was made in order to determine the relationship of available slide energy to the following parameters: orifice location, orifice diameter, initial cylinder volume, piston diameter, piston stroke, weights of recoiling parts. A test fixture was used to obtain experimental data. Correlation of these data was made. Procedure is described, and results discussed.
20-9100	TR	Bibliography of Springfield Armory Reports - Technical, Memorandum, Notes on Materiel - Research and Development Division, 30 Sep 59 - Unclassified report - Nonlimited distribution.
		ABSTRACT: Presented is a bibliography of Spring-field Armory reports - technical, memorandum, notes on materiel - prepared and distributed from 1 Jan 48 through 30 Jun 59. Technical abstracts are included for those technical reports issued after receipt of OCTI 200-4-57, "Control and Distribution of Technical Reports," 27 March 1957.
20-9200	NM	Notes on Development Type Materiel for the Caliber .30, M37, Gun Kit, on H-13 Army Helicopters G.H. Bornheim, 11 Jan 60.
20-9204	NM	Notes on Development Type Materiel for the Caliber .30, M37, Gun Kit - SA-F42260, Revision B, on H-13 Army Helicopters (NOTE: This report supersedes

NUMBER TYPE TITLE

SA-NM20-9200) - G.H. Bornheim, 13 Sep 60.

20-9205 TR Evaluation of the Seventh Army Ground Fire Suppression Kit (H-13 Gun Kit. SA-F42260, Rev B) -

pression Kit (H-13 Gun Kit, SA-F42260, Rev B) - Final Report - G.H. Bornheim and H.D. Coombs, 21 Nov 60 - Unclassified Report - Nonlimited distribution.

ABSTRACT: Tests were conducted to evaluate the performance of the Seventh Army Ground Fire Suppression Kit as used on the H-13 helicopters for conformance with CONARC military characteristics with reference to safety, operational, and maintenance features. The original kit was evaluated. Based upon findings, this kit was modified. The modified kit was evaluated. Test procedure for both evaluations is given, and results of both are discussed.

20-9206 TR Engineering Evaluation of the Armament Kit, KX-13-A1-2 - G.H. Bornheim, 19 December 1960 - Unclassified report - Nonlimited distribution.

ABSTRACT: Engineering tests were made to evaluate the KX-13-A1-2 Armament Kit used on the Model H-13 helicopter for conformance with CONARC military characteristics. Test procedure is described, results discussed, and recommendations presented.

DISTRIBUTION

	Copies
Chief of Ordnance	10
Department of the Army	
Washington 25, D.C.	
ATTN: ORDTB (1)	
ORDIX (1)	
ORDIR (1)	
ORDPD (1)	
ORDFA (1)	
ORDTU (1)	
ORDGU-IN (1)	
ORDIS (2)	
Personnel & Training Br. (1)	
Commanding General	12
Ordnance Weapons Command	
Rock Island, Illinois	
ATTN: ORDOW-FM (1)	
ORDOW-TX (2)	
ORDOW-IN (1)	
ORDOW-IX (1)	
ORDOW-TA (1)	•
ORDOW-TU (1)	
ORDOW-TB (1)	
ORDOW-PEQUA (1)	
National Development (1)	
Industrial Engineering (1)	
National Maintenance (1)	
Commanding Officer	1
Diamond Ordnance Fuze Laboratories	
Washington 25, D.C.	
ATTN: Technical Reference Section	
ORDTL 06.33	
Armed Services Technical Information Agency	10
Arlington Hall Station	
Arlington 12, Virginia	
Commanding Officer	1
Ordnance Technical Intelligency Agency	_
Arlington Hall Station	
Arlington 12, Virginia	
ATTN: ORDLI-CW - Mr. J. Smith	

	Cobres
Gommanding General Ordnence Ammunition Command Joliet, Illinois	1
Commanding General Ordeance Tank Automotive Command Centerline, Michigan ATPN: ORDMC-AL.1.3 (1) ORDMC-RC-2 (1) Lisison Office (1)	3
Constituting Conormal Aberdeen Proving Ground Aberdeen Maryland ATTN: Technical Library, ORDAD-LM, Linter DPS, Branch Library 25, B. 48, 1000	.,
Commissing Offices U.S. Army Ordnance Training Commissed Aberdeen Proving Ground, Noting Co. ATTN: ORDHB-CR-C	;
Commandant U.S. Army Ordnance School Abeldeen Proving Ground, they and PATH: USAON Technical Life by (). Non-Recident Trace (Divi. for	7
Commanding Officer Bureau of Naval Wespons Terminal Process Office. Abordeen Proving Crownd, Pavyt of ATIN: Navy Linison Office. Force of T	;
U.S. Army Ordnance Technic (pie) Aberduen Province Ground, in cland ATTM: ORLEGACTI Cant.	
Commanding Office Specific Froving Cround, Greek 1 ATTN 1870 (Frisch Million 1881)	

	Copies
Commanding Officer	1
Red River Arsenal	
Texarkana, Texas:	
ATTN: ORDKJ!	
Commanding General	2
Redstone Arsenal	
Huntsville, Alabama ATTN: ORDDW-TET (1)	
ARGMA (1)	
Commanding Officer	1
Commanding Officer Rock Island Arsenai	_
Rock Island, Illinois	
ATTN: Laboratory	
Commanding Officer	2
Watertown Arsenal	
Watertown, Massachusetts	
ATTN: Laboratory (1) OMRO (1)	
0.2.0 (1)	
Commanding Officer	1
Watervliet Arsenal Watervliet, New York	
waterviret, new lott	
Commanding General	2
Fort Belvoir	
Virginia ATTN: R&D Labs - Tech Services Br (1)	
R&D Labs - Materials Br (1)	
The President	1
U.S.Army Infantry Board	_
United States Continental Army Command	
Fort Benning, Georgia	
The President	1
U.S. Army Air Defense Board	
United States Continental Army Command Fort Bliss	
El Paso, Texas	
-	

	Copies
Commanding General White Sands Proving Ground Las Cruces, New Mexico	1
Commanding Officer Detroit Arsenal Centerline, Michigan ATTN: ORDMX-ECR (1) ORDMX-ECM (1) Res & Dev Div (1)	3
Commander Air Materiel Command Engineering Division, Materials Laboratory Wright Patterson Air Force Base, Ohio ATTN: WORTS (1) WORTE (1)	2
Commander Air Materiel Command Wright Patterson Air Force Base, Ohio ATTN: MCPERB (1) Command Packaging Office (1)	2
Commanding General Frankford Arsenal Philadelphia 37, Pa. ATTN: Pitman-Dunn Laboratory (1) Small Arms Division (1) ORDBA-FRA (1)	3
Commanding Officer Picatinny Arsenal Dover, New Jersey ATTN: ORDBB-TM2 (1) CRDBB-TE3 (1)	2
Commanding Officer Raritan Arsenal Metuchen, New Jersey ATTN: National Maintenance Publications Center	1

	Copies
Commanding Officer TRECOM	1
Fort Eustis, Virginia ATTN: Aircraft Development & Engineering	
Commanding Officer Arctic Test Branch Fort Greely, Alaska	1
The President U.S. Army Armor Board United States Continental Army Command Fort Knox, Kentucky	1
Commanding General Fort Monmouth New Jersey ATTN: Signal Corps Eng Lab (1)	3
Squier Signal Lab (1) Materials Sec (1)	
Commanding General United States Continental Army Command Fort Monroe, Virginia	1
Commanding Officer Anniston Ordnance Depot Anniston, Alabama ATTN: ORDKB	1
Commanding Officer Chicago Quartermaster Depot Food and Container Institute for Armed Forces 1819 West Pershing Road Chicago 9, Illinois	1
Commanding Officer Letterkenny Ordnance Depot Chambersburg, Pennsylvania ATTN: ORDKE-1	1

	Copies
Commanding Officer	2
Rossford Ordnance Depot	
Toledo, Ohio	
ATTN: Ordnance Packaging Officer (1) ORDDW-TEM (1)	
Commanding Officer	1
U.S.Army Ordnance Test Activity	
Yuma Test Station	
Yuma, Arizona	
Commanding Officer	1
Chemical Warfare Laboratories	
Army Chemical Center, Maryland	
Commandant	1
U.S.Military Academy	
West Point New York	
ATTN: Department of Ordnance & Gunnery	
Chairman	1
National Aeronautics and Space Administration	
Lewis Research Center	
21,000 Brookpark Road	
Cleveland 35, Ohio	
Commanding Officer	1
Office of Ordnance Research	
Post Office Box CM	
Duke Station	
Durham, North Carolina	
Commanding Officer	1
Office of the Quartermaster General	
Washington 25, D.C.	
ATTN: Res & Dev Div - Chemicals & Plastics Br.	

REPORT SA-TR20-9101

	Copies
Army Reactor Branch Division of Reactor Development Atomic Energy Commission Washington 25, D.C.	1
Commander Air Proving Ground Center Eglin Air Force Base, Florida ATTN: PGTRI, Tech Lib	1
Gommander Air Research & Development Command Andrews Air Force Base Washington 25, D.C.	1
Commander Northeastern Air Procurement District 14 Court Square Boston 8, Massachusetts	1
Commander United States Air Force Washington 25, D.C. ATTN: AFDRD-CC	1
Commanding Officer 831st AF-SPD Shelby, Ohio ATTN: Inspection Department	1
Commandant Boston Naval Shipyard Boston Massachusetts	1

	Copies
Commandant	1
New York Naval Shipyard	
Brooklyn 1, New York	
ATTN: Materials Laboratory - Code 982	
Commander	1
Norfolk Naval Shipyard	
Portsmouth, Virginia	
ATTN: Code 380	
Commander	1
Philadelphia Naval Shipyard	
Philadelphia 12, Pennsylvania	
Comaander	1
Portsmouth Naval Shipyard	_
Porcsmouth, New Hampshire	
ATTN: Laboratory Officer	
Commandant	1
Puget Sound Naval Shipyard	
Bremerton, Washington	
Chief, Bureau of Aeronautics	2
Department of the Navy	
Washington 25, D.C.	
ATTN: TD Division (1)	
Airborne Equip Div - Matls Br - Code AE-44 (1)	
Commanding General	1
U.S. Army Ordnance Special Weapons Ammunition Command	
Dover, New Jersey	
Chief, Bureau of Naval Weapons	3
Department of the Navy	
Washington 25, D.C.	
ATTN: Res & Dev Div (1)	
Materials & Wandling Br - Code Re-1 (1)	
RRMA RRRE (1)	

	Copies
U.S. Atomic Energy Commission Technical Information Service Extension P.O. Box 62 Oak Ridge, Tennessee	1
Chief, Bureau of Ships Department of the Navy Washington 25, D.C. ATTN: Res & Dev Div, Code 346 (1) Material Dev Div, Code 345 (1)	2
Director, Office of Naval Research Department of the Navy Washington 25, D.C. ATTN: Code 423	1
Director U.S. Naval Research Laboratory Washington 20, D.C. ATTN: Technical Information Officer	1
Superintendent U.S. Naval Weapons Plant Washington 25, D.C. ATTN: Aviation Ordnance	1
Commanding Officer U.S. Naval Engineering Experiment Station Annapolis, Maryland	1
Commanding General Army Ballistic Missile Agency Redstone Arsenal, Alabama ATTN: ORDAB-DFR, Mr. W.A.Wilson (1) ORDAB-DSN (5) ORDAB-DV (1)	7

	Copies
Commander U.S. Naval Air Experimental Station Building 600 Philadelphia 21, Pennsylvania	1
Commanding Officer Naval Proving Ground Dahlgren, Virginia	1
Commanding Officer Engineering Evaluation Branch Code 5516, Room 130, H Lab U.S. Naval Ordnance Test Station China Lake, California	1
Commander U.S.Naval Ordnance Test Station Pasadena Annex Pasadena 8, California ATTN: Code P5574	1
Commandant, Marine Corps U.S. Headquarters Washington 25, D.C. ATTN: Packaging Engineer - Code CSM	1
Commandant U.S. Marine Corps Washington 25, D.C. ATTN: Plans & Policies (1) Packaging Officer - Code CSM (1)	2
Commandant Marine Corps Equipment Board Marine Corps School Quantico, Virginia	1

REPORT SA-TR20-9101

	Copies
Commander, (Code 5557) U.S. Naval Ordnance Test Station China Lake, California	1
Dr. W.R. Lucas George C. Marshall Space Flight Center M-S and M-M Huntsville, Alabama	1

ABSTRACT

4. Springfield Armory -Abstracts 2. Springfield Armory Bitliography UNCLASSIFIED UNCLASSIFIED 1. Bibi: ography 3. Адитивети Presented is a bibliography of Springfield Armory reports - technical, memorandum, notes no materiel - prepared and distributed from 1 Jul 59 to 31 Dec 60. Springlish Amory, Springtish, Mass.
Birliogaapir of Springlish Amory Reports.
Tribuloal, Modelador, Mytes on Myteries. Res
and Dev Div, Technical Report SA-TR20-9101.
16 Peb 51. Unclassified report. Accession Monital distribution.

ABSTRACT

 Springfield Armory -Bibliography 4 Springfield Armory - Abstracts UNCLASSIFIE UNCLASSIFIED 1. Bibliography 3. Abstracts Presented is a Mibliography of Springfield Armory reports - technical, memorandum, notes on material - prepared and distributed from 1 Jul 59 to 31 Dec 60. Springfield Aimory, Springfield, Hase, Ballodsanery of Springrizia Arbory Revorts -TECRNICAL, MENGRADUR, NOTES ON MATRIES. - Res and Per Div. Technical Report SA-TR20-9101, 16 Peb 61. Unclassified report Accession Nomismited distribution,

ABSTRACT

4. Springfield Armory - Abstracts 2. Spriagfield Armory Bibliography UNCLASSIFIED 1. Bibliography 3. Abstracts Presenti is a bibliograph; of Springfield Armory reports - frethiful, memorandum, notes on material prepared and distributed from 1 Jul 59 to 31 Dec 60, Springiseld Armory, Springiseld, Mass.
NUMLICHARY OF SPRINGIELD ARMORY REPORTS.
TECHNICAL, MEMORARUPH, NOTES ON MATRIEL. - Res
and Dev Div, Technical Report SA-TR20-9101,
16 Feb 61. Unclassified report. Accession Nonlimited distribution.

UNCLASSIFIED

UNCLASSIFTED Presented is a bibliography of Springfield Armory reports - technical, memorandam, notes on material - prepared and distributed from 1 Jul 59 to 31 Dec 60.

,

Springfield Armory . Bibliography

3. Abstracts

Unclassified report,

Monifested distribution.

1. Mibliography

Springitald Armory, Springitald, Mess.
HIRLICORAPT OF SPRINGING, AROUNT REPORTS.
HIRLICAL, MEMORANDY, NOTES ON MUTRIES. - Res
and Der Div, Technical Report SA-TRIO-9101,
16 Feb 61.

UNCLASSIFIED

ABSTRACT Accession 4. Springfield Armory Abstract

ABSTRACT

 Springfield Armory -Bibliography 4. Springfield Armory Abstracts UNCLASSIPTED 1. Bibliography 3. Abstracts Prosented is a bibliography of Springfield Armory resports - technical, memorandem, notes on material - prepared and distributed from 1 Jul 59 to 31 Dec 60, Springfield Armory, Springfield, Mass.
BIRLIOGALFI OF SPRINGFIELD ARMORY EXPORTS TECHNICAL, MEDICARMORY, SPIES ON MATRIEL - Res
and Daw Diw, Technical Report SA-TRZD-9101,
16 Feb 51. Unclassified report. Accession Moslimited distribution.

ABSTRACT

 Springrield Armory -Bibliography 4. Springfield Armory - Abstracts UNCLASSIFIED UNCLASSIFIED 1. Eibliography 3. Abstracts Presented in a Mbliography of Springffeld Armory reports - technical, memorandum, notes on marteriel - prepared and distributed from 1 Jul 59 to 31 Dec 60, Springial dramary, Springiald, Ness.
Springial of Springial draws.
TECHNICAL, PERGAMOR, NOTES ON MATERIE. - Read Det Div, Technical Report SA-TE20-9101,
16 fet 61. Unclassified report A.cession_ Monlimited distribution,

ę

UNCLASSIFIED

ABSTRACT

Monlimited distribution, 2. Springfield Armory Bibliography 4. Springfield Amory Abstract DECLASSIFIED 1. Mib tiography 3. Abstracts Presented is a bibliography of Springfield Armory reports - technical, memorandum, notes on material - prepared and distributed from 1 Jml 59 to 31 Dec 60, Springitald Annory, Springitald, Mas.
Biminchart or Springital about about a remainer and a recommendation of Marking.
Res Dr., Technical Report SA-TR20-9101, 10 Pab 61. Unclassified report.

Mobilington distribution.

•

•

1

:

CHICLASSIPTED

ABSTRACT Acression

2. Springfield Armory Bibliography 4. Springfield Armory Abstracts UNCLASSIFIED 1. Mibliography 3. Abstracts Fraence is a bibliograph of Springffeld Armory reports - technical, memorandm, modes on sateriel - prepared and distributed from 1 Jul 59 to 31 Dec 60, Springfield Armory, Springfield, Mase, Birliograff of Springfield, Masers -Techtical, Hondraddy, Hitzs on Mitriele. - Res and Dev Div, Technical Report SA-TR20-9101, 16 Feb 51. Unclassified report. Accession

UNCLASSIFIED